

### 8.1 The Binomial Theorem

Previously, † expanding the brackets of  $(3 - 2x)^4$  was tackled.

Here is a reminder of the recommended method of setting out a solution;

$$\begin{aligned}
 (3 - 2x)^4 = & \quad 1 \quad \times \quad (3)^4 \quad \times \quad (-2x)^0 \\
 & + \quad 4 \quad \times \quad (3)^3 \quad \times \quad (-2x)^1 \\
 & + \quad 6 \quad \times \quad (3)^2 \quad \times \quad (-2x)^2 \\
 & + \quad 4 \quad \times \quad (3)^1 \quad \times \quad (-2x)^3 \\
 & + \quad 1 \quad \times \quad (3)^0 \quad \times \quad (-2x)^4
 \end{aligned}$$

$$\therefore (3 - 2x)^4 = 81 - 216x + 216x^2 - 96x^3 + 16x^4$$

This method can be generalised to give The Binomial Theorem;

$$\begin{aligned}
 (a + b)^n = & \quad {}^n C_0 \quad \times (a)^n \quad \times (b)^0 \\
 & + \quad {}^n C_1 \quad \times (a)^{n-1} \times (b)^1 \\
 & + \quad {}^n C_2 \quad \times (a)^{n-2} \times (b)^2 \\
 & + \quad {}^n C_3 \quad \times (a)^{n-3} \times (b)^3 \\
 & + \quad \dots \\
 & + \quad {}^n C_r \quad \times (a)^{n-r} \times (b)^r \\
 & + \quad \dots \\
 & + \quad {}^n C_{n-1} \times (a)^1 \quad \times (b)^{n-1} \\
 & + \quad {}^n C_n \quad \times (a)^0 \quad \times (b)^n
 \end{aligned}$$

---

**The Binomial Theorem** (for integer  $n$ )

$$(a + b)^n = a^n + {}^n C_1 a^{n-1} b + \dots + {}^n C_r a^{n-r} b^r + \dots + b^n$$


---

This is provided to candidates in Additional Mathematics and A-Level exams

† In Lesson 4. Example 4.2, along with a Teaching Video solution

## 8.2 Exercise

Marks Available : 40

### Question 1

Expand the brackets

$$\begin{aligned}(5x - x^2)^3 &= 1 \times ( ) \times ( ) \\ &+ 3 \times ( ) \times ( ) \\ &+ 3 \times ( ) \times ( ) \\ &+ 1 \times ( ) \times ( )\end{aligned}$$

So,

$$(5x - x^2)^3 =$$

[ 5 marks ]

### Question 2

In mathematics the pling symbol “!” means “factorial”

$$5! = 5 \times 4 \times 3 \times 2 \times 1$$

Check, on your calculator, that  $5! = 120$  (Using the special button marked “!”)

Work out

( i )  $6!$                       ( ii )  $10!$                       ( iii )  $13!$

[ 3 marks ]

### Question 3

My calculator gives an error message when I try to work out  $94!$

The answer is way too big for my calculator to handle.

What is the smallest number,  $x$ , for which your calculator cannot calculate  $x!$  ?

[ 1 mark ]

### Question 4

Given calculator limitations, there is no point using one to work out

$$\frac{5000!}{4999!}$$

However, the answer, if you think about it, is easy to obtain using brain power.

What is the answer ?

[ 2 marks ]

**Question 5**

Work out the following using a mixture of cunning and calculator

(i)  $\frac{100!}{99!}$

(ii)  $\frac{101!}{98!}$

(iii)  $\frac{2021!}{2018!}$

[ 1, 2, 3 marks ]

**Question 6**

Simplify

$$\frac{(n + 4)!}{(n + 1)!}$$

[ 3 marks ]

**Question 7**

Simplify

$$\frac{(n + 1)!}{(n - 1)!}$$

[ 3 marks ]

**Question 8**

The numbers in Pascal's Triangle are given by

$${}^n C_r = \frac{n!}{r! (n - r)!}$$

Use this to derive a simplified expression for  ${}^n C_2$

[ 4 marks ]

**Question 9**

Expand the brackets;

$$(2 + x) (4 + 5x)^3$$

[ 8 marks ]

**Question 10**

*Further Mathematics Specimen Exam Paper 1, June 2020, Q16 (AQA)*

The coefficient of the  $x^4$  term in the expansion of  $(2x + a)^6$  is 60

Work out the possible values of  $a$

**[ 5 marks ]**

This document is a part of a **Mathematics Community Outreach Project** initiated by Shrewsbury School

It may be freely duplicated and distributed, unaltered, for non-profit educational use

In October 2020, Shrewsbury School was voted "**Independent School of the Year 2020**"

© 2023 Number Wonder

Teachers may obtain detailed worked solutions to the exercises by email from [mhh@shrewsbury.org.uk](mailto:mhh@shrewsbury.org.uk)