


A-Level Mathematics
A-Level Further Mathematics
Pure Year 1

ALGEBRA

~ Surds and Indices II ~



Algebra

~ Surds and Indices ~

Lesson 1

A-Level Pure Mathematics : Year 1

Algebra of Surds and Indices II

1.1 Multiplication Involving Surds

Challenge #1

Find the exact value of,

$$(2 + 7\sqrt{2} - 5\sqrt{3})(4 + 3\sqrt{2} + 2\sqrt{3})$$

[6 marks]

Challenge #2

Find the exact value of,

$$(3\sqrt{2} + 4\sqrt{3} + 7\sqrt{6})(5\sqrt{2} - 2\sqrt{3} + 3\sqrt{6})$$

[6 marks]

1.2 Exercise

*Any solution based entirely on graphical
or numerical methods is not acceptable*

Marks Available : 50

Question 1

Expand and simplify, giving exact answers,

(i) $(5 + \sqrt{7})^2$

[2 marks]

(ii) $(2 + 5\sqrt{3})(4 - 2\sqrt{3})$

[3 marks]

(iii) $(3 + \sqrt{2})(3 - \sqrt{2})(2 + \sqrt{5})$

[4 marks]

(iv) $(6 + 2\sqrt{3} - \sqrt{5})(7 + \sqrt{3})$

[5 marks]

Question 2

A square-free number is an integer that is not divisible by any square number except 1.

(i) Which of the following are integers ?

$$6 \quad \pi \quad \sqrt{8} \quad -4 \quad \sqrt{25} \quad 0.125 \quad \frac{4}{5} \quad \frac{81}{3}$$

[1 mark]

(ii) Which of the following are square-free ?

$$7 \quad 121 \quad 50 \quad 12 \quad 6 \quad 99 \quad 65 \quad 147$$

[2 marks]

Question 3

Simplify each of the following, writing your answers in the form $a\sqrt{b}$ for integer values of a and b with b square free.

(i) $\sqrt{8}$

[1 mark]

(ii) $5\sqrt{20}$

[1 mark]

(iii) $(3\sqrt{2})^3 - 4\sqrt{2}$

[2 marks]

(iv) $\sqrt{12} + 3\sqrt{48} + \sqrt{75}$

[2 marks]

Question 4

Show how to expand the brackets of

$$(1 + \sqrt{5})(1 - \sqrt{5})^3$$

to obtain an answer in the form $a + b\sqrt{3}$ where a and b are integers.

[3 marks]

Question 5

Find the exact value of,

$$(5 + 3\sqrt{2} + 6\sqrt{3})(8 + 4\sqrt{2} - 2\sqrt{3})$$

[6 marks]

Question 6

Which of the following numbers are square free ?

(i) $3 \times 5 \times 7$

(ii) $2 \times 3^2 \times 11$

(iii) 5×7^3

[2 marks]

Question 7

Explain why,

$$\sqrt{2 \times 3^3 \times 5^2} = 15\sqrt{6}$$

[2 marks]

Question 8

Simplify,

$$\sqrt{a^3 \times b^5}$$

where a and b are unknown integers.

Give your answer in the form $x\sqrt{y}$ where x and y are expressed in terms of a and b and y is square free.

[2 marks]

Question 9

The following number is too big for my calculator;

$$5^{52} \times 7 \times 13^{95}$$

Even so, square root this number, writing the answer in in the form $a\sqrt{p}$

where a & p are integers, that may be written in index form

and p is FREE.

[2 marks]

Question 10

Find the exact value of,

$$(7\sqrt{2} - 3\sqrt{5} + 4\sqrt{10})(9\sqrt{2} + 2\sqrt{5} + 2\sqrt{10})$$

[6 marks]

Question 11

Without using a calculator at any stage, devise a method that will determine the cube root of 1728

i.e. $\sqrt[3]{1728}$

[4 marks]

This document is a part of a **Mathematics Community Outreach Project** initiated by Shrewsbury School

It may be freely duplicated and distributed, unaltered, for non-profit educational use

In October 2020, Shrewsbury School was voted “**Independent School of the Year 2020**”

© 2021 Number Wonder

Teachers may obtain detailed worked solutions to the exercises by email from mhh@shrewsbury.org.uk