3.1 The Sum To Infinity

Teaching Video: http://www.NumberWonder.co.uk/v9077/3a.mp4 (Part 1)
http://www.NumberWonder.co.uk/v9077/3b.mp4 (Part 2)



<= Part 1

Part 2 =>



For a typical Arithmetic Progression...

$$7 = 7$$

$$7 + 11 = 18$$

$$7 + 11 + 15 = 33$$

$$7 + 11 + 15 + 19 = 52$$

Observation:



For a typical Geometric Progression with either r > 1 or r < 1...

$$4 = 4$$

$$4 + 20 = 24$$

$$4 + 20 + 100 = 124$$

$$4 + 20 + 100 + 500 = 624$$

Observation:



For a typical Geometric Progression with either -1 < r < 1

$$64 = 64$$

$$64 + 32 = 96$$

$$64 + 32 + 16 = 112$$

$$64 + 32 + 16 + 8 = 120$$

$$64 + 32 + 16 + 8 + 4 = 124$$

Question Time!

As more terms are added, will this ever sum to more than

$$(iv)$$
 128? (v) 126?

$$64 = 64$$

$$64 + 32 = 96$$

$$64 + 32 + 16 = 112$$

$$64 + 32 + 16 + 8 = 120$$

$$64 + 32 + 16 + 8 + 4 = 124$$

$$64 + 32 + 16 + 8 + 4 + 2 = 126$$

$$64 + 32 + 16 + 8 + 4 + 2 + 1 = 127$$

$$64 + 32 + 16 + 8 + 4 + 2 + 1 + \frac{1}{2} = 127 \frac{1}{2}$$

$$64 + 32 + 16 + 8 + 4 + 2 + 1 + \frac{1}{2} + \frac{1}{4} = 127 \frac{3}{4}$$

$$64 + 32 + 16 + 8 + 4 + 2 + 1 + \frac{1}{2} + \frac{1}{4} = 127 \frac{3}{4}$$

The series is approaching a limit of 128 but never quite gets there. This series would be described as having a sum to infinity of 128, which is the upper bound of the series, and is the smallest number this series can not sum to.

For a Geometric Progression with -1 < r < 1 it makes sense to talk about a sum to infinity because such a series is convergent on a fixed number.

3.2 The Sum To Infinity Formula For A Geometric Progression

$$Sum_{\infty} = \frac{a}{1 - r} - 1 < r < 1$$

3.3 Example

Show that 128 is the sum to infinity of the geometric series,

$$64 + 32 + 16 + \dots$$

3.4 Exercise

Marks Available: 46

Question 1

Find S_{∞} of the geometric series,

$$12 - 6 + 3 - 1.5 + \dots$$

[2 marks]

Question 2

A geometric series has first term -5 and sum to infinity -3 Find the common ratio.

[3 marks]

Question 3

For the geometric series with $S_3 = 9$ and $S_{\infty} = 8$, find the value of the common ratio and also the value of the first term.

$\mathbf{\Omega}$	uestion	1
v	uesuon	4

C2 Examination question from June 2009, Q5. The third term of a geometric sequence is 324 and the sixth term is 96 Show that the common ratio of the sequence is $\frac{2}{3}$ (a) [2 marks] (b) Find the first term of the sequence [2 marks] Find the sum of the first 15 terms of the sequence (c) [3 marks] Find the sum to infinity of the sequence (d) [2 marks]

Question 5

C2 Examination question from January 2007, Q10 A geometric series is

$$a + ar + ar^2 + \dots$$

(a) Prove that the sum of the first n terms of this series is given by

$$S_n = \frac{a(1-r^n)}{1-r}$$

[4 marks]

(**b**) Find
$$\sum_{k=1}^{10} 100(2^k)$$

[3 marks]

(c) Find the sum to infinity of the geometric series

$$\frac{5}{6} + \frac{5}{18} + \frac{5}{54} + \dots$$

[3 marks]

(\mathbf{d}) State the condition for an infinite geometric series with common ratio r to be convergent

[1 mark]

Question 6

C2 Examination question from January 2009, Q9

The first three terms of a geometric series are

$$(k+4), k, (2k-15)$$

where k is a positive constant.

(i) Show that
$$k^2 - 7k - 60 = 0$$

[4 marks]

(ii) Hence show that k = 12

[2 marks]

(iii) Find the common ratio of this series

[1 mark]

(iv) Find the sum to infinity of this series.

[2 marks]

Question 7 C2 Examination question from January 2005, Q6 The second and fourth terms of a geometric series are 7.2 and 5.832 respectively. The common ratio of the series is positive. For this series, find (a) the common ratio [2 marks] **(b)** the first term [2 marks] (c) the sum of the first 50 terms, giving your answer to 3 decimal places [2 marks] (d) the difference between the sum to infinity and the sum of the first 50 terms, giving your answer to 3 decimal places

[2 marks]