
2.1 Multiplicity of Roots

Given the function, $f(x) = (x + 1)^n (x - 2)^2$ a mathematicain would say that that there is a root of multiplicity n at x = -1 and a root of multiplicity 2 at x = 2. The following graphs show what happens as the multiplicity of the root at x = -1, n, increments from 0 to 3.

In particular, observe the activity around the number -1 on the *x*-axis.



Equation	n	parity of <i>n</i>	x = -1 activity	x = 2 activity
$y = (x - 2)^2$	0	even	no root	touch from above
$y = (x + 1)(x - 2)^2$	1	odd	cross from below	touch from above
$y = (x + 1)^2 (x - 2)^2$	2	even	touch from above	touch from above
$y = (x + 1)^3 (x - 2)^2$	3	odd	cross from below	touch from above

The observations made suggest the following rule,

Cross or Touch Rule for Polynomial Roots

Given a polynomial of the form,

$$f(x) = (x - a)^n g(x)$$

the root at x = a will be a *cross* if n is odd or a *touch* if n is even.

(Provided that x = a is not also a root of the polynomial g(x))

Whether the *cross* or *touch* is from above or below depends upon how the roots of g(x) are distributed about x = a

2.2 The "Together" Sketches

Sketch each of the following curves, marking all intersections with the axes.

(i)
$$y = (x+3)^3(x-1)^2(x-2)^2$$

$$(ii) y = x - x^3$$

(iii)
$$y = (x + 3)^2 (4 - x)^2$$

2.3 Exercise

Any solution based entirely on graphical or numerical methods is not acceptable

Marks Available: 70

Question 1

Sketch each of the following curves, marking all intersections with the axes.

(i)
$$y = (x)^2 (x+2)^2 (x+3)$$

$$(\mathbf{ii}) \qquad y = x - x^5$$

(iii)
$$y = (3-x)^3(x+2)^2$$

(i) On the same axes sketch the curve $y = (x^2 - 1)(x - 2)$ and the line y = 14x + 2

[4 marks]

(ii) Use algebra to find the coordinates of the points of intersection.

On the same axes sketch the curve with equations $y = (x - 2)(x + 2)^2$ and the curve with equation $y = -x^2 - 8$

[4 marks]

(ii) Use algebra to find the coordinates of the points of intersection.

A-Level Examination Question from January 2007, Paper C1, Q10 (Edexcel)

- (a) On the same axes sketch the graphs of the curves with equations,
 - (i) $y = x^2 (x 2)$
 - (ii) y = x(6 x)

and indicate on your sketches the coordinates of all points where the curves cross the *x*-axis.

[6 marks]

(**b**) Use algebra to find the coordinates of the points where the graphs intersect.

$$f(x) = x^3 - 2x^2 + px + 36 \text{ where } p \in \mathbb{Z}$$

(i) Given that x = 3 is a root of f(x) determine the value of p

[3 marks]

(ii) Factorise f(x) completely.

[4 marks]


(iii) Sketch the graph of f(x) marking on all axis intersections.

The graph below, y = f(x), is of the function $f(x) = x^3 + 8$

From the graph it is clear that f(x) has only one root at x = -2

Mathematically, this root can be found by solving the equation f(x) = 0

This question looks at another mathematical way of showing there is only one root.



(i) Carry out a polynomial long division to show that,

$$x^3 + 8 = (x + 2)(x^2 + px + q)$$

where p and q are integers the values of which are to be found.

HINT:
$$x + 2 x^3 + 0x^2 + 0x + 8$$

[3 marks]

(ii) By considering the discriminant of the factor $(x^2 + px + q)$ show that this quadratic factor yields no further roots of f(x)

$$f(x) = x^6 - 3x^5 - 15x^4 + 35x^3 + 90x^2 - 108x - 216$$

It is known that f(x) has two distinct roots each of multiplicity three.

Thus, $f(x) = (x + p)^3 (x + q)^3$ where $p, q \in \mathbb{Z}$ with p < q

(i) Explain how the factor theorem proves that neither (x - 1) nor (x + 1) can be factors of f(x)

[3 marks]

(ii) By writing 216 as a product of primes, list two candidate possible factorisations of f(x) keeping in mind that $p^3 q^3 = 216$.

[3 marks]

(iii) Use the factor theorem to determine which of the two candidates factorisations is the actual factorisation of f(x)State the value of p and the value of q

[3 marks]

(iv) Sketch the graph of f(x) marking on all axis intersections.



$$f(x) = 3x^3 + x^2 - x$$
 and $g(x) = 2x(x-1)(x+1)$

Show algebraically that the graphs of f(x) and g(x) have only one point of intersection, and hence find the coordinates of this point.

[6 marks]